



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/022,433	12/20/2001	Ronald D. Blum	10551/252	5203
23838	7590	03/11/2005	EXAMINER	
KENYON & KENYON 1500 K STREET, N.W., SUITE 700 WASHINGTON, DC 20005			CHIN, RANDALL E	
			ART UNIT	PAPER NUMBER
			1744	
DATE MAILED: 03/11/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/022,433

Applicant(s)

BLUM ET AL.

Examiner

Randall Chin

Art Unit

1744

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 December 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-35 is/are pending in the application.
- 4a) Of the above claim(s) 4, 7, 9, 11, 12, 16-28 and 31-35 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3, 5, 6, 8, 10, 13-15, 29 and 30 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 11102004.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1, 2, 3, 5, 6, 8, 10, 13, 14, 15, 29 and 30 are rejected under 35 U.S.C. 102(b) as being anticipated by Nostrand '839.

Nostrand '839 teaches with respect to claims 1 and 10 a structure (Figs. 6 and 7) comprising a plurality (two) of sloping surfaces **capable of** directing water coming in contact therewith downward, support members defined by end rims 18 arranged among said sloping surfaces for supporting fly paper or a "mat" 12 placed thereon, and a tacky (p. 1, line 25 and p. 2, lines 30-32) upper exposed surface associated with said sloping surfaces. As for the device of claim 1 being termed a "floor mat support and drainage structure, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In a claim drawn to a process of making, the intended use must result in a manipulative difference as compared to the prior art. See *In re Casey*, 370 F.2d 576, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 312 F.2d 937, 939, 136 USPQ 458, 459 (CCPA 1963).

Art Unit: 1744

As for claim 2, Nostrand's device further comprises walls 19, 19 arranged on sides of the plurality of sloping surfaces.

As for claim 3, there is a "water retention reservoir" formed between the elevated receptacle 17 and either one of the end rims 18, this "reservoir" being arranged on an edge of at least one of the sloping surfaces.

As for claim 5, the sloping walls are deemed "beveled."

As for claim 6, upper surfaces of the support members 18 are substantially coplanar (Fig. 7).

As for claim 8, adjoining ones of the sloping surfaces form an apex (i.e., raised, highest central point as recited on p. 2, lines 53-54).

As for claim 13, as stated above, end rims 18 define transverse members for supporting a "mat" placed thereon.

As for claim 14, as stated above, walls 19, 19 are arranged on sides of the two sloping surfaces.

As for claim 15, there is a "water retention reservoir" formed between the elevated receptacle 17 and either one of the end rims 18, this "reservoir" being arranged on an edge of at least one of the sloping surfaces.

To avoid redundancy, claim 29 is rejected similarly as explained above.

With respect to claim 30, the adjoining sloping surfaces are formed of a single piece of material (see Fig. 6).

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The patents to Jerome, Seaholtz, Karfiol, Margulies, Cohen, and Olive are pertinent to various structures with sloping tacky surfaces.

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

5. Any inquiry concerning this communication or earlier communication from the Examiner should be directed to Randall Chin whose telephone number is (571) 272-1270. The Examiner can normally be reached on Monday through Thursday and every other Friday.

Art Unit: 1744

If attempts to reach the Examiner are unsuccessful, the Examiner's supervisor, Robert Warden, can be reached at (571) 272-1281. The number for Technology Center 1700 is (571) 272-1700.

The central fax number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



R. Chin



Randall Chin
Primary Examiner
Art Unit 1744